

TES® LIGHTLINE

IN 2022 IT'S ALL ABOUT WEIGHT.

Our entry-level model "KHE BLACKJACK" will be equipped with an aluminium frame with an incredible weight of 10.2 kg. 2021 we started with a new bike range called the KHE "Light Line" (LL). The main goal was to offer in each price class the lightest BMX Freestyle bikes on the market. All "LL" bikes will come with an alloy frame, alloy handlebar and an alloy seatpost! Mixed with real good parts like sealed alloy hubs, 35 mm wide KHE BIG 400 rims and our famous AFFIX Rotor System. New KHE BARCODE LL 20" will be even under 10 kg!

• Frame: ALUMINIUM! Top tube length: 402mm (15,8")

• Fork: HiTen steel

Handlebars: 2-piece AluminiumStem: Leadtec Top Load 40mm

• Headset: Headset 1 1/8"

• Rotor: -

• Rear brake: U-Brake

• Front brake: Side pull (already installed!)

Brake levers: Aluminium

• Cranks: 1-piece cranks, 140mm

• Bottom bracket: US-BB

Chain: YBN chainPedals: 1/2" PVCChainring: 25T

• Front wheel: Aluminium rim, 28 spoke Prism hub, 10mm axle

• Rear wheel: Aluminium rim, 28 spoke Prism hub, 9T driver, 10mm axle

• Saddle: Lightweight padded saddle combo with integrated seat post

• Seatpost: Aluminium

• Seat clamp: Integrated

• Tyres: UNITED 16" x 2,125"

• Extra: Brakes / levers / cables already installed and adjusted!

 Weight: Approx. 8,0kg / 17,637 lbs (Probably the lightest 16" Freestyle BMX bike in the world!)

• Colour: Blue



ARSENIC LL 16"



• Frame: HiTen steel, top tube length: 405mm (15.95"), RC 290mm, HT 75°

• Fork: HiTen steel

Handlebars: 2-piece HiTen
Stem: UNITED Top Load
Headset: Headset 1 1/8"

• Rotor: -

• Rear brake: Alhonga U-Brake

• Front brake: Side pull (already installed!)

• Brake levers: Aluminium

• Cranks: 1-piece cranks, 140mm

• Bottom bracket: US-BB

• Chain: YBN

• Pedals: 1/2" PVC pedals

• Chainring: 25T

• Front wheel: Aluminium rim, 28 spoke hub, 10mm axle

• Rear wheel: Aluminium rim, 28 spoke hub, 14T freewheel, 10mm axle

• Saddle: lightweight padded saddle combo with intergrated seat post

• Seatpost: Aluminium, 210mm long

• Seat clamp: Integrated

• Tyres: UNITED 16" x 2,125"

• Extra: Brakes / levers / cables are already mounted and adjusted!

• Weight: Approx. 9,4 kg / 20,72 lbs

• Colour: matte black

LENNY SE 16"



- Frame: HiTen steel, top tube length: 457mm (18"), RC 311mm, HT 75°
- Fork: HiTen steel, with short offset 18mm
- Handlebars: 2-piece HiTen
- Stem: Leadtec
- Headset: AFFIX headset 1 1/8"
 Rotor: Patented AFFIX 360° rotor
- Rear brake: Alhonga U-Brake
- Front brake: Alhonga U-Brake (already installed!)
- Brake levers: Aluminium
- Cranks: 1-piece cranks, 150mm
- Bottom bracket: US-BB
- Chain: YBNPedals: 1/2" PVCChainring: 36T
- Front wheel: Aluminium rim, 36 spoke hub, 10mm axle
- Rear wheel: Aluminium rim, 36 spoke hub, 16T freewheel, 14mm axle
- Saddle: Padded with CrMo rails
- Seatpost: Fully adjustable 210mm long
- Seat clamp: Integrated
- Tyres: UNITED 18" x 2,125"
- Extra: Brakes / levers / cables are already mounted and adjusted!
- Weight: Approx. 10.2 kg / 22.48 lbs
- Colour: Black

BLAZE 18"



- Frame: HiTen steel, top tube length: 457mm (18"), RC 311mm, HT 75°
- Fork: HiTen steel
- Handlebars: 2-piece HiTen
- Stem: Top Load
- Headset: AFFIX headset 1 1/8"
 Rotor: Patented AFFIX 360° rotor
 Rear brake: Flybikes U-Brake
- Front brake: Side pull (already installed!)
- Brake levers: Aluminium
- Cranks: MVP 3-piece CrMo cranks, 8 spline axle, 150mm
- Bottom bracket: US-BBChain: YBN branded chain
- Pedals: 9/16" PVC
- Chainring: 25T
- Front wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 10mm axle
- Rear wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 9T freewheel, 14mm axle
- Saddle: lightweight padded saddle combo with integrated seat post
- Seatpost: Aluminium, 210mm long
- Seat clamp: Integrated
- Tyres: 18" x 2,125"
- Extra: Brakes / levers / cables are already mounted and adjusted!
- Weight: Approx. 10.1 kg / 22.27 lbs
- Colour: Black

ARSENIC 18"



• Frame: Aluminium, top tube length: 457mm (18"), RC 311mm, HT 45°

• Rotor: AFFIX rotor

• Fork: high-strength HiTen

• Handlebar: Aluminium 2-piece

• Stem: Top Loader style

Headset: Headset 1 1/8" AFFIX
Rear brake: Aluminium U-Brake

Front brake: Side pullBrake lever: Aluminium

• Crank: 3-piece hollow CrMo cranks 152m

 Bottom bracket: US-BB with sealed bearings (S/B)

• Chain: YBN

 Pedals: very flat & lightweight PVC 9/16" pedals

• Chainring: 25 teeth

• Front wheel: KHE BIG400 rim, 36 H Prism (S/B) hub, 10mm axle

• Rear wheel: KHE BIG400 rim, 36 H Prism (S/B) hub, 9T cassette, 14mm axle

• Rims: KHE BIG400 (35mm wide) aluminium rims

• Saddle: padded & angle/inclination adjustable

• Seat clamp: aluminium black

• Tyres: 18" x 2,125

 Extra: Front brake/lever/cable are already mounted and adjusted!

• Colour: anthracite

• Weight of the bike: only approx. 8.9 kg



RAVISHER LL 18"



- Frame: HiTen steel, top tube length: 495mm (19.5"), HT 75*, RC347mm
- Fork: high-strength HiTen steel
- Handlebar: 2-piece 8" high
- Stem: Top Loader style (handlebar is clamped from above)
- Headset: Headset 1 1/8"
- Rotor: patented AFFIX Pro Rotor System!
- Brakes: V-Brakes front & rear!
- Brake lever: for V-Brake
- Crank: Forged one-piece crank 165mm
- Chainring: 32 teeth
- Bottom bracket: US-BB, loose ball
- Chain: YBN
- Front wheel: KHE BIG400 aluminium rim 35mm wide, 10mm (3/8") axle, 36 hole Prism hub
- Rear wheel: KHE BIG400 aluminium rim 35mm wide, 16 teeth sprocket, 10mm (3/8") axle, 36 hole Prism hub
- Saddle: padded & angle/inclination adjustable
- Seatpost: 210mm long
- Seat clamp: integrated
- Tyres: 20" x 2.10" tyres
- Colour: black
- Weight of the bike: only approx. 11.1kg

COSMIC 20"



- Frame: HiTen steel, top tube length: 495mm (19.5"), HT 75*, RC342mm
- Fork: made of high-strength HiTen steel, butted
- Stem: Leadtec Front Loader Style
- Headset: Headset 1 1/8
- Rotor: patented AFFIX PRO rotor system!
- Brakes: POWER U-Brakes front and rear
- Brake lever: for U-Brake
- Handlebar: 7.85" high HiTen 2pc handlebars
- Grips: Propalm Mushroom Style
- Stem: Front Loader Aluminum
- Crank: very high quality 3-piece 8 spline
 CrMo hollow crank 165mm
- Chainring: 25 teeth
- Bottom bracket: US-BB loose ball
- Chain: KMC, high quality branded product
- Front wheel: aluminium rim,
 Prism 36 hole with 10mm axle
- Rear wheel: Aluminium rim, 9 teeth sprocket, 14mm axle, 36 holes
- Rim: KHE BIG400 35mm wide
- Saddle: adjustable KHE saddle
- Seat clamp: integrated
- Tyres: Fat KHExAFFIX 2.40" tyres
- Bike colour: Mettalic grey
- Weight of the bike: only approx. 11.2 kg

BEATER



• Frame: Aluminium, top tube length: 495mm (19.5")

• Rotor: AFFIX rotor

• Fork: high-strength HiTen

• Handlebar: HiTen 2-piece

• Stem: Top Loader

Headset: Headset 1 1/8" AFFIX
Rear brake: Aluminum U-Brake

Front brake: Aluminium U-Brake

• Brake lever: Aluminium U-Brake

• Crank: very sturdy OPC (one-piece) 165mm

• Bottom bracket: US-BB

• Chain: YBN

• Pedals: very flat & light PVC 1/2" pedals

• Chainring: 36 teeth

• Front wheel: KHE BIG400 rim, 36 H Prism hub, 10mm axle

• Rear wheel: KHE BIG400 rim, 16 T sprocket, 14mm axle, 36 H Prism hub.

 Rims: KHE BIG400 (35mm wide) aluminium rims

• Saddle: padded & angle/inclination adjustable

• Seat clamp: aluminium black

• Tyres: 20" x 1,95

• Extra: Front brake/lever/cables are already mounted and adjusted!

• Colour: Matt black

• Bike is approx. 90% pre-assembled

• Weight of the bike: only approx.10.2 kg

ALLOY LIGHT WEIGHT

TUBE TECHNOLOGY

BLACKJACK AL 20"



- Frame: HiTen steel, top tube length: 483mm (19"), HT 75*, RC347mm.
- Fork: made of high-strength HiTen steel. Only 18mm trail
- Handlebar: 2-piece 9" (228mm) high.
- Stem: Leadtec Top Loader Style. 40mm of trail.
- Headset: Headset 1 1/8".
- Rotor: patented AFFIX Pro Rotor System!
- Brakes: LOGAN U-Brakes front & U-Brake rear.
- Brake lever: for U-Brake
- Crank: Three-piece CrMo hollow crank 170mm
- Chainring: 32 teeth
- Bottom bracket: American loose ball
- Chain: YBN, high quality branded product
- Front wheel: KHE BIG400 rim blue anodised, 10mm (3/8") axle, 36 hole Prism hub
- Rear wheel: KHE BIG400 rim blue anodised, 16 teeth sprocket, 14mm axle, 36 hole prism hub
- Saddle: padded & angle/inclination adjustable
- Seatpost: 270mm long
 Seat clamp: integrated
 Tyres: 20" x 1.95" tyres
- Colour: silver
- Weight: only approx. 11.3kg

CHRIS BÖHM 20"



- Frame: Aluminium, top tube length: 495mm (19.5")
- Rotor: AFFIX rotor
- Fork: high-strength HiTen
- Handlebar: aluminium 2-piece
- Stem: Top Loader style
- Headset: Headset 1 1/8" AFFIX
- Rear brake: Aluminium U-Brake
- Front brake: Aluminium U-Brake
- Brake lever: Aluminium U-Brake
- Crank: 3-piece CrMo hollow Krubel
- Bottom bracket: American-BB
- Chain: YBN
- Pedals: very flat & lightweight PVC 9/16" pedals
- Chainring: 32 teeth
- Front wheel: KHE BIG400 rim, 36 H Prism S/B hub, 10mm axle
- Rear wheel: KHE BIG400 rim, 16 T sprocket, 14mm axle, 36 H Prism hub.
- Rims: KHE BIG400 (35mm wide) aluminium rims
- Saddle: padded & angle/inclination adjustable
- Seat clamp: aluminium black
- Tyres: 20" x 1,95
- Extra: Front brake/lever/cables are already mounted and adjusted!
- Colour: Matt black
- Weight of the bike: only approx.10 kg



BARCODE LL 20"



• Frame: HiTen steel, top tube length: 524mm (20.6"), RC 347mm, HT 75°

• Fork: HiTen steel

• Handlebars: KHE MVP, 9" rise, butted

• Stem: Leadtec Front Load

• Headset: AFFIX headset 1 1/8"

• Rotor: Patented AFFIX 360° rotor

• Rear brake: Alloy U-Brake

• Front brake: Side pull (already installed!)

Brake levers: Aluminium

• Cranks: MVP 3-piece CrMo cranks, 8 spline

axle, 170mm

Bottom bracket: US-BB

• Chain: YBN branded chain

Pedals: 9/16" PVCChainring: 25T

• Front wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 10mm axle

• Rear wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 9T freewheel, 14mm axle

• Saddle: lightweight padded saddle combo with integrated seat post

• Seatpost: Aluminium, 210mm long

• Seat clamp: Integrated

• Tyres: KHE ACME, 20" X 2,40"

 Extra: Brakes / levers / cables are already mounted and adjusted!

• Weight: Approx. 10,8 kg / 23,81 lbs

• Colour: Matt anthracite

COPE 20"



- Frame: HiTen steel, top tube length: 524mm (20.6"), RC 347mm, HT 75°.
- Fork: made of high-strength HiTen steel
- Rotor: patented AFFIX PRO rotor system!
- Handlebar: KHE "butted" 9" handlebar in Oil Slick!
- Stem: Leadtec Top Loader Style black
- Headset: Affix Headset 1 1/8"
- Rear brake: Aluminium U-Brake!
- Front brake: Sidepull (already mounted!)
- Brake lever: quality aluminium brake lever with hinge
- Crank: very high quality 3-piece 48 Spline CrMo hollow crank in Oil Slick!
- Bottom bracket: MID BB with precision bearings
- Chain: YBN, high quality brand product
- Pedals: very thin & stable 9/16" PVC graphite pedals
- Chainring: 25 teeth
- Front wheel: KHE BIG400 35mm wide rim, precision bearing hub 10mm!
- Rear wheel: KHE BIG400 35mm wide rim, 9T cassette hub 14mm
- Saddle: extra light padded KHE saddle combo
- Seat clamp: integrated
- Tyres: front/rear: KHE ACME 2.40" tyres
- Extra: front brake/levers/cables are already mounted & adjusted!
- Weight of the bike: only approx.10,5 kg!!!

CENTRIX 20"



- Frame: CrMo Main tubes, top tube length: 524mm (20.6"), RC 347mm, HT 75°
- Fork: CrMo
- Handlebars: KHE MVP 4-piece, 9" rise, butted
- Stem: Leadtec Top Load
- Headset: Fully integrated AFFIX headset, sealed, 1 1/8"
- Rotor: Patented AFFIX 360° rotor
- Rear brake: Flybikes U-Brake
- Front brake: Side pull (already installed!)
- Brake levers: Aluminium brake lever with hinged bar clamp
- Cranks: MVP 3-piece CrMo cranks, 48 spline axle, 170mm
- Bottom bracket: Fully sealed MID-BB
- Chain: High quality KMC branded chain
- Pedals: 9/16" PVC
- Chainring: 25T, CNC Aluminium
- Front wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 10mm axle
- Rear wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 9T freewheel, 14mm axle
- Saddle: lightweight padded saddle combo with integrated seat post
- Seatpost: Aluminium, 210mm long
- Seat clamp: Integrated
- Tyres: KHE Mac 2+, 20" X 2,30"
- Extra: Brakes / levers / cables are already mounted and adjusted!
- Weight: Approx. 9,9 kg / 21,83 lbs
- Colour: Black

SILENCER LT 20"



- Frame: Main tubes made of CrMo 4130 steel, top tube length: 540mm (21.25"), RC 350mm, HT 75°
- Fork: CNC steerer made of CrMo steel
- Rotor: patented AFFIX Pro Rotor System!
- Handlebar & Stem: KHE multiple butted handlebar 4-piece 10" with Leadtec Top Loader style stem
- Headset: Affix Headset 1 1/8"
- Front brake: Aluminium U-brake (preset and mounted!)
- Rear brake: Aluminium U-brake!
- Crank: very high quality 3-piece 48 Spline CrMo hollow crank
- Bottom bracket: Precision bearing Mid BB
- Drive: YBN chain 25 teeth aluminium chainring
- Pedals: flat, stable & lightweight 9/16" PVC pedals
- Front wheel: KHE BIG400 35mm wide rim, precision bearing hub! 10mm axle
- Rear wheel: KHE BIG400 35mm wide rim, 9T cassette hub "full" precision bearing, 14mm axle
- Saddle: aluminium patent seat post, saddle adjustable
- Tyres: front/rear: Fat KHE x ACME 2,40"
- Extra: brakes/levers/cables already installed & adjusted
- Total weight: only approx. 11.1kg!

PLASM 20"



- Frame: 100% 4130 CrMo top tube length: 524mm (20.6"), RC 347mm, HT 75°
- Fork: 100% 4130 CrMo
- Handlebars: KHE Arsenic 4-piece, 9" rise, multiple butted
- Stem: Leadtec Top Load
- Headset: Fully integrated AFFIX headset, sealed, 1 1/8"
- Rotor: Patented AFFIX 360° rotor
- Rear brake: Flybikes U-Brake
- Front brake: Side pull (already installed!)
- Brake levers: Aluminium brake lever with hinged bar clamp
- Cranks: 2-piece KHE 22 crankset, 170mm
- Bottom bracket: Fully sealed MID-BB
- Chain: YBN
- Pedals: 9/16" PVC
- Chainring: 25T, CNC Aluminium "guard" chainring
- Front wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 10mm axle
- Rear wheel: KHE BIG400 rim, 36 spoke hub, sealed bearings, 9T freewheel, 14mm axle
- Saddle: lightweight padded saddle combo with integrated seat post
- Seatpost: Aluminium, 210mm long
- Seat clamp: Integrated
- Tyres: KHE Mac 3, 20" X 2,40"
- Extra: Brakes / levers / cables are already mounted and adjusted!
- Weight: Approx. 9,7 kg / 21,38 lbs
- Colour: Stealth grey

STRIKEDOWN PRO 20"





KEBIKES.COM

© 2022 KHEBIKES, KARLSRUHE